Low-Vision Viewing System

SVS Panda

19-inch Desktop Video Magnifier

SVS Panda offers an accessible, space-conscious option for desktop low-vision support. Its display is slightly smaller than Aurora's, while providing many of the same functions in an efficient, compact format.



Three Buttons for the Three Most-Used Functions

Three front controls handle the main Panda functions: magnification, color and brightness. Simple controls make it approachable for users of different ages, from grandparents to grandchildren, and easy to learn from the first use.

EVOptica | evoptica.com | contact@evoptica.com
+1-315-210-8976 (call/text) | 221 S Main St, Fairport, NY 14450, USA

EVOptica

Compact, Elegant Design

SVS Panda has an elegant black-and-white design with large buttons for easy visibility and ergonomic access. It fits into a variety of settings, and its uncluttered controls make operation straightforward. Simply connect it to a power outlet and start using it: practical plug-and-play operation.



For Offices and Apartments

Space is valuable, especially in large cities. Panda suits apartments and offices because its footprint is comparable to that of a computer. It can sit on a small writing desk or office table while leaving room for other items. The smooth XY platform is easy to move and position for reading large or small documents, bills, books and even medication leaflets.

EVOptica | evoptica.com | contact@evoptica.com
+1-315-210-8976 (call/text) | 221 S Main St, Fairport, NY 14450, USA

EVOptica

SVS Panda Specifications

Specification	Value
Camera	High resolution with autofocus
Magnification	2-70×
Monitor	19-inch LCD with high brightness and contrast
Color modes	17
Favorite color modes	Store four favorite color-mode presets in memory for easier use
Functions	Zoom +/-; color-mode button; brightness button; save-settings button
Working clearance, camera to XY table	25 cm
XY table dimensions	36.8 cm × 36.6 cm × 4.6 cm
X movement	20 cm
Y movement	23 cm
Gross weight	16.7 kg



EVOptica | evoptica.com | contact@evoptica.com
+1-315-210-8976 (call/text) | 221 S Main St, Fairport, NY 14450, USA

EVOptica